

## REFERENCES

- Artur Ciesielskia and Paolo Samorì. (2014). Graphene via sonication assisted liquid-phase exfoliation. *Chem. Soc. Rev.* **43**: 381-398
- Ashcroft N. W and Mermin N. D. (1976). Solid state physics. New York: Holt, Rinehart and Winston.
- Bae S., Kim H, Lee Y., Xu X., Park J., Zheng Y., Balakrishnan J., Lei T., Kim H. R., Song Y., Kim J., Kim K. S., Özyilmaz B., Ahn J., Hong B. H. and Iijima S. (2010). Roll-to-roll production of 30-inch graphene films for transparent electrodes. *Nature Nanotechnology*. **5**: 574-578.
- Bolotin K. I., Sikes K. J., Jiang Z., Klima M., Fudenberg G., Hone J., and Stormer H. L. (2008). Ultrahigh electron mobility in suspended graphene. *Solid State Communications*. **146**: 351-355.
- Bourlinos A. B., Georgakilas V., Zboril R., Steriotis T. A. and Stubos A. K. (2009). Liquid-phase exfoliation of graphite towards solubilized graphenes. *Small*. **5**: 1841–1845.
- Bracamonte M. V., Lacconi G. I., Urreta S., Foa Torres L. E. F. (2014). On the nature of defects in liquid-phase exfoliated graphene. *Journal of Physical Chemistry C*. **118**: 15455-15459.
- Brodie B. C. (1859). On the Atomic Weight of Graphite. Philosophical Transactions of the Royal Society of London. **149**: 249-259.
- Choi W., Lahiri I., Seelaboyina R. and Kang Y. S. (2010). Synthesis of Graphene and Its Applications: A Review. *Critical Reviews in Solid State and Materials Sciences*. **35**: 52-71.
- Christian Demitri, Anna Moscatello, Antonella Giuri , Maria Grazia Raucci and Carola Esposito Corcione. (2015). Preparation and Characterization of EG-Chitosan Nanocomposites via Direct Exfoliation: A *Green Methodology*. *Polymers*. **7**: 2584–2594.

Chu H. Y. (2011). Development of Solution-Processed Methods for Graphene Synthesis and Device Fabrication. *Georgia Institute of Technology*.

Chugh S., Mehta R., Lu N., Dios F. D., Kim M. J. and Chen Z. (2015). Comparison of graphene growth on arbitrary non-catalytic substrates using low-temperature PECVD. *Carbon*. **93**: 393-399.

Cummins G. and Desmulliez M. P. Y. (2012). Inkjet printing of conductive materials: a review. *Circuit World*. **38**: 193 – 213.

Dikin D. A., Stankovich S., Zimney E. J., Piner R. D., Dommett G. H. B., Evmenenko G., Nguyen S. T. and Ruoff R. S. (2007). Preparation and characterization of graphene oxide paper. *Nature*. **448**: 457-460.

Eda G., Fanchini G., and Chhowalla M. (2008). Large-area ultrathin films of reduced graphene oxide as a transparent and flexible electronic material. *Nat Nano*. **3**:270-274.

El Achaby, Arrakhiz F. Z., Vaudreuil S., Essassi E. M., and Qaiss A. (2012). Piezoelectric  $\beta$ -polymorph formation and properties enhancement in graphene oxide—PVDF nanocomposite films. *Applied Surface Science*. **258**: 7668–7677.

Ferrari A. C. (2007). Raman spectroscopy of graphene and graphite: Disorder, electron–phonon coupling, doping and nonadiabatic effects. *Solid State Communications*. **143**: 47-57.

Flint E. B. and Suslick K. S. (1991). The temperature of cavitation. *Science*. **253**: 1397-1399.

Frank I. W., Tanenbaum D. M., Van der Zande A. M. and McEuen P. L. (2007). Mechanical properties of suspended graphene sheets. *J. Vac. Sci. Technol. B*. **25**: 2558–2561

Gayathri S., Jayabal P., Kottaisamy M. and Ramakrishnan, V. (2014). Synthesis of few layer graphene by direct exfoliation of graphite and a Raman spectroscopic study. *Aip Adv.* **4**: 27116.

Guittonneau F., Abdelouas A., Grambow B., Huclier S. (2010). The effect of high power ultrasound on an aqueous suspension of graphite. *Ultrasonics sonochemistry* **17**. **2**: 391-398.

Gong L., Young R. J., Kinloch I. A., Haigh S. J., Warner J. H., Hinks J. A., and Novoselov K. S. (2013). Reversible Loss of Bernal Stacking during the Deformation of Few-Layer Graphene in Nanocomposites. *ACS Nano*. **7**: 7287-7294.

Henrich F., Krupke R., Arnold K., Rojas Stütz J. A., Lebedkin S., Koch T., and Kappes M. M. (2007). The Mechanism of Cavitation-Induced Scission of Single-Walled Carbon Nanotubes. *The Journal of Physical Chemistry B*. **111**: 1932-1937.

Hernandez Y., Nicolosi V., Lotya M., Blighe F. M., Sun Z., De S., and Coleman, J. N. (2008). High-yield production of graphene by liquid-phase exfoliation of graphite. *Nat Nano*. **3**: 563-568.

Huawen Hu and Guohua Chen. (2010). Electrochemically modified graphite nanosheets and their nanocomposite films with poly(vinyl alcohol). *Polymer composites*. **31**: 1770-1775

Hummers Jr W. S. and Offeman R. E. (1958). Preparation of Graphitic Oxide. *J. Am. Chem. Soc.* **80**: 1339–1339

Israelachvili J. N. (2011). Intermolecular and surface forces. *Academic press*. **3**.

Jalili N. and Laxminarayana K. (2004). A review of atomic force microscopy imaging systems: application to molecular metrology and biological sciences. *Mechatronics*. **8**: 907-945.

Jungrok K., Jihoon S., Hyun K. J., Soo H. K. and Hyung W. L. (2012). The effect of various parameters for few-layered graphene synthesis using methane and acetylene. *Journal of Ceramic Processing Research*. **13**: 42-46

Kashyap S, Mishra S and Behera S.K. (2014). Aqueous Colloidal Stability of Graphene Oxide and Chemically Converted Graphene. *Journal of Nanoparticles*. **2014**: 640281

Khan U., Porwal H., O'Neill A., Nawaz K., May P., and Coleman, J. N. (2011). Solvent-Exfoliated Graphene at Extremely High Concentration. *Langmuir*. **27**: 9077-9082.

Khan U, O'Neill A, Lotya M, De S, and Coleman J.N. (2010). High concentration solvent exfoliation of graphene. *Small*. **7**: 64-71.

Kim J., Kwon S., Cho D., Kang B., Kwon H., Kim Y., Park S. O., Jung G. Y., Shin E., Kim W., Lee H., Ryu G. H, Choi M., Kim T. H., Oh J., Park S., Kwak S. K., Yoon S.W, Byun D., Lee Z., and Lee C. (2015). Direct exfoliation and dispersion of two-dimensional materials in pure water via temperature control. *Nature Communication*. **6**: 8294.

Lavin-Lopez M. P., Valverde J. L., Sanchez-Silva L., and Romero A. (2016). Solvent-Based Exfoliation via Sonication of Graphitic Materials for Graphene Manufacture. *Industrial & Engineering Chemistry Research*. **55**: 845-855.

Lee G. J. and Rhee C. (2014). Enhanced thermal conductivity of nanofluids containing graphene nanoplatelets prepared by ultrasound irradiation. *Journal of Materials Science*. **4**: 1506–1511

Lee H., Some S., Kim Y., Hwang E., and Yoo H. (2012). Binol salt as a completely removable graphene surfactant. *Chem. Comm*. **48**: 7732-7734.

Li D., Muller M. B., Gilje S., Kaner R. B. and Wallace G. G. (2008). Processable aqueous dispersions of graphene nanosheets. *Nature Nanotechnology*. **3**: 101-105.

Li X., Cai W., An J., Kim S., Nah J., Yang D., Piner R., Velamakanni A., Jung I., Tutuc E., Banerjee S.K., Colombo L. and Ruoff R. S. (2009). Large-area synthesis of high-quality and uniform graphene films on copper foils. *Science*. **324**.

Liang S., Shen Z., Yi M., Liu L., Zhang X., Cai C., and Ma S. (2015). Effect of processing parameters on massive production of graphene by jet cavitation. *Journal of Nanoscience and Nanotechnology*. **15**: 2686-2694.

Liu Z., Liu Q., Huang Y., Ma Y., Yin S., Zhang X., Sun W. and Chen Y. (2008). Organic photovoltaic devices based on a novel acceptor material: Graphene. *Adv. Mater.* **20**: 3924-3930

Liu W. W., Wang J. N. and Wang, X. X. (2012). Charging of unfunctionalized graphene in organic solvents. *Nanoscale*. **4**: 425-428.

Lotya M., King P. J., Khan U., De S., and Coleman, J. N. (2010). High-Concentration, Surfactant-Stabilized Graphene Dispersions. *ACS Nano*. **4**: 3155-3162.

Malard L. M., Pimenta M. A., G. Dresselhaus G. and Dresselhaus M. S. (2009). "Raman spectroscopy in graphene," *Phys. Rep.* **473**: 51–87.

Marcano D. C., Kosynkin D. V., Berlin J. M., Sinitskii A., Sun Z., Slesarev A., Alemany L. B., Lu W. and Tour J. M. (2010). *ACS Nano*. **4**: 8.

Marlinda bt Rahman, (2012). Efficient preparation of graphene/zinc oxide nanocomposites. *Thesis of Universiti Malaya*. 78-80.

Meyer J. C., Geim A. K., Katsnelson M. I., Novoselov K. S., Booth T. J. and Roth S. (2007). The structure of suspended graphene sheets. *Nature*. **446**: 60-63.

Min Yi and Zhigang Shen. (2013). A review on mechanical exfoliation for scalable production of graphene. *Journal of Materials Chemistry A*. **3**: 11700-11715.

Ming Zhou, Tian Tian, Xuanfu Li, Xudong Sun, Juan Zhang, Ping Cui, Jie Tang, and Lu-Chang Qin. (2014). Production of Graphene by Liquid-Phase Exfoliation of Intercalated Graphite. *Int. J. Electrochem. Sci.* **9**: 810 - 820.

Monir Noroozi, Azmi Zakaria, Shahidan Radiman and Zaidan Abdul Wahab. (2016). Environmental Synthesis of Few Layers Graphene Sheets Using Ultrasonic Exfoliation with Enhanced Electrical and Thermal Properties. *PLOS ONE*. **4**: e0152699.

Moser J., Barreiro A., and Bachtold A. (2007). Current-induced cleaning of graphene Moser. *Applied Physics Letters*. **91**: 163513

Misik V and Riesz P. (1996). Peroxyl radical formation in aqueous solutions of N,N-dimethylformamide, N-methylformamide, and dimethylsulfoxide by ultrasound: implications for sonosensitized cell killing. *Free Radic Biol Med*. **20**: 129-138.

Nicolosi V., Chhowalla M., Kanatzidis M. G., Strano M. S., and Coleman, J. N. (2013). Liquid Exfoliation of Layered Materials. *Science*. **340**: 6139.

Nikitin Y. A. and Pyatkovskii M. L. (1997). Formation and Properties of Materials Based on Thermally Expanded Graphite. *Powder Metallurgy and Metal Ceramics*. **36**.

Novoselov K. S., Geim A. K., Morozov S. V., Jiang D., Zhang Y., Dubunos S. V., Grigoriava I. V., and Firsov A. A. (2004). Electric Field Effect in Atomically Thin Carbon Films. *Science*. **306**: 666–669.

Prawer S. and Nemanich, R. J. (2004). Philosophical Transactions: Mathematical, Physical and Engineering. *Sciences* **362**: 2537-2565.

Pu N. W., Wang C. A., Liu Y. M., Sung Y., Wang D. S. and Ger M. D. (2012). Dispersion of graphene in aqueous solutions with different types of surfactants and the production of graphene films by spray or drop coating. *Journal of the Taiwan Institute of Chemical Engineers*. **43**: 140-146.

Quintana M., Grzelczak M., Spyrou K., Kooi B., Bals S., Van T., Gustaaf R. P., and Prato M. (2012). Production of large graphene sheets by exfoliation of graphite under high power ultrasound in the presence of tiopronin. *Chem. Commun.* **48**: 12159–12161.

Rakhee Durgea, R. V. Kshirsagara, Pankaj Tambe. (2014). Effect of sonication energy on the yield of graphene nanosheets by liquid-phase exfoliation of graphite. *Procedia Engineering*. **97**:1457 – 1465

Rekha Narayan and Sang Ouk Kim. (2015). Surfactant mediated liquid phase exfoliation of graphene. *Nano Convergence*. **2**: 15-20

Rod Ruoff S. (2008). Graphene: Calling all chemists. *Nature Nanotechnology*. **3**: 10 – 11.

Ruoff R. S. and Park S. (2009). Chemical methods for the production of graphenes. *Nature Nanotechnology*. **4**: 217-224.

Ruan G., Sun Z., Peng Z. and Tour J.M. (2011) “Growth of Graphene from Food, Insects, and Waste”. *ACS Nano*. **5**: 7601-7607.

Shuai Wang, Min Yi, Shuaishuai Liang, Zhigang Shen, Xiaojing Zhang and Shulin Ma. (2016). The effect of surfactants and their concentrations on the liquid-exfoliation of graphene. *RSC Advances*. **6**: 56705 – 56710

Somani, Prakash R., Savita P., Umeno and Masayoshi. (2006). Planer nano-graphenes from camphor by CVD. *Chemical Physics Letters*. **430**: 56-59.

Stankovich S., Dikin D. A., Piner R. D., Kohlhaas K. A., Kleinhammes A., Jia Y., and Ruoff R. S. (2007). Synthesis of graphene-based nanosheets via chemical reduction of exfoliated graphite oxide. *Carbon*. **45**: 1558-1565.

Tan Y. Y. Tan L. W., Jayawardena K., Anguita J. V., Carey J. D. and Silva S. R. P. (2011). Field effect in chemical vapour deposited graphene incorporating a polymeric gate dielectric. *Synthetic Metal*. **161**: 2249-2252.

Thakur S. and Karak N. (2012). Green reduction of graphene oxide by aqueous phytoextracts. *Carbon*. **50**: 5331–5339.

Umar Khan, Jonathan Coleman and Harshit Porwal. (2012). Size selection of dispersed, exfoliated graphene flakes by controlled centrifugation. *Carbon*. **50**: 470-475.

Uran S., Alhani A., and Silva C. (2017). Study of ultraviolet-visible light absorbance of exfoliated graphite forms. *AIP Advances*. **7**: 035323

Vandana Sharma, Avesh Garg, and Suresh Chander Sood. (2015). Graphene Synthesis via Exfoliation of Graphite by Ultrasonication. *International Journal of Engineering Trends and Technology (IJETT)*. **26**: 38-42.

Varrla Eswaraiah, Sasidharannair Sasikaladevi Jyothirmayee Aravind and Sundara Ramaprabhu. (2011). Top down method for Synthesis of Highly Conducting Graphene by Exfoliation of Graphite Oxide using Focused Solar Radiation. *J. Mater. Chem.* **21**: 17094.

Vorrada Loryuenyong, Krit Totepvimarn, Passakorn Eimburanapravat, Wanchai Boonchompoo, and Achanai Buasri. (2013). Preparation and Characterization of Reduced Graphene Oxide Sheets via Water-Based Exfoliation and Reduction Methods. *Advances in Materials Science and Engineering*. 1-5.

Wallace P. R. (1947). Erratum: The Band Theory of Graphite. *Physical Review*. **71**: 622.

Watson K. D. (2001). Svedberg, Theodor *eLS*: John Wiley & Sons, Ltd.

Williams D. B. and Carter C. B. (2009). *Transmission Electron Microscopy*. USA: Springer.

Xu C., Wang X. and Zhu J. (2008). Graphene metal particle nanocomposites. *J. Phys. Chem. C*. **112**: 19841-19845.



Yu Q., Lian J., Siriponglert S., Li H., Chen Y. P. and Pei S. S. (2008). Graphene segregated on Ni surfaces and transferred to insulators. *Applied Physics Letters* 2008. **96**: 113103.

Zan, R. (2012). Microscopy and spectroscopy of graphene: Atomic scale structure and interaction with foreign atom species. *Manchester: PhD Thesis, University of Manchester, School of Physics and Astronomy.*

Zhang S., Shao Y., Liao H., Engelhard M. H., Yin G., and Lin Y. (2011). Polyelectrolyte-Induced Reduction of Exfoliated Graphite Oxide: A Facile Route to Synthesis of Soluble Graphene Nanosheets. *ACS Nano*. **5**: 1785-1791.

Zhou S. Y., Seigel D. A., Federov A. V., Gabaly F. and Schmid A. K. (2008). Origin of the energy bandgap in epitaxial graphene. *Nature Materials*. **7**: 259–260